

J

INDEX MAPS.

T. 6N R. 11 West 2nd Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Illinois

Meandering 402

402

401

401

T. 7N R. 11 West 2nd Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Illinois

Meandering 422

418

420

419

419

421

421

418

421

418

420

417

417

417

The figures on the lines refer to the page.

417

Township N. 7 North of Range N. 11 West of the 2nd Mer

Ch. P. 1st 1st

East Boundary v. 6° 15' N. W. C. 33.

Bearings at the cor. of sec. 1. 6. 31° 13' 6" T. 6 + 7. N. R. 10 + 11 W.

Maple 12 in diam. bears N 17° W. 14 lks dist; to

Loc. 8 " " " East 39 " "

This post stands in the Left BK of Matash River.

North On the East B. of sec. 36. T. 7. N. R. 11 W.

39.00 Set a post in the Left BK of the Matash for the cor. of

frac. Sec. 36. T. 7. N. R. 11 W. from which

N Oak 13 in diam. bears N 50° E. 11 lks dist; to

W Oak. 11 " " " S 187° W. 28 " "

56.36 Set a post on the Right BK of the Matash River for

the cor. of frac. Sec. 36. from which

Elm. 16 in diam. bears S 42° E. 3 lks dist; to

Loc. 9 " " " N 77° W. 20 " "

Land is 1st rate bottom. Grows Walnut, Hackberry

& Elm, Ash, &c. Some times overflows.

Remains of the line in Illinois.

East B. of sec. 25. T. 7. N. R. 11 W. "

North On the East B. of sec. 24. T. 7. N. R. 11 W.

3.50 A Red Bud 7 in diam. stands for the cor. of sec. 24

in the Right BK of the Matash River.

45.00 Set the 1st new post on the Left Bank of Matash River

for the cor. of frac. Sec. 24. from which

Elm. 8 in diam. bears S 87° W. 5 lks dist; to

W Oak. 30 " " " N 26° E. 29 " "

80.00 Set a post for the cor. of sec. 23 + 24. from which

Stick 24 in diam. bears N 83° E. 30 lks dist; to

Log post 30 " " " N 67° W. 38 " "

Land is some overflows some times.

North On the East Bound. of sec. 13. T. 7. N. R. 11 W.

6.
11
12
13
14
15
16
17
18
19
20

Camp

T. N. 7 N R. N. 11 W 2nd Mer. Ind.

23.59	Set a post on the Left Bank of the Wabash for the Cor. of Fract. Sec. 13 from which 27 in dist. bears S 41 E. 3 1/2 Mts dist. to Cottonwood 10 " " " N 1 E. 49 " " The line crosses the River and runs so near the bank that we did not cross. but made an offset; therefore the mile & half mile posts are not set.
North 29.57	On the East Boundary of sec. 12. T. 7 N R. 11 W Set a post on the Left Bank of the Wabash for the Cor. of Fract. Sec. 12. At Sycamore 12 in dist. stands for the cor.
40.00	Set a new post from which Elm. 9 in dist. bears S 62 E. 14 Mts dist. to Do. 6 " " " N 38 W. 17 " "
80.00	Set a post for the corner of 1 & 12 from which Maple. 8 in dist. bears S 40 E. 13 Mts dist. to Do. 18 " " " N 29 W 7 " " Run down bottom 2 nd rate which overflows.
North 37.00	On the East Boundary of sec. 1. T. 7 N R. 11 W. To a small Brook corner S. W.
40.00	Set a new post from which Oak 7 in. dist. bears N 30 W. 27 Mts dist. to Oak 8 " " " S 68 E. 46 " "
72.50	Set a temporary post for the cor. of T. 7 & 8 N R. 10 & 11 W
East 39.59	North Boundary On a Random line On the South 1/3 of sec. 34 T. 8 N R. 11 W. Set a temporary post on the Right Bank of the Wabash River for the cor. of Fract. Sec. 34.

419

T. N.° 7 N. R. N.° 11 W 2nd Mer. Ind.?

49.74 80.00	<p>Land sandy prairie.</p> <p>Across the River,</p> <p>Set a temp. post for the cor of sec. 34 & 35.</p> <p>Sandy 1/2 mile prairie 2nd rate; last part into bottom which overflows.</p>
East 40.00 80.00	<p>On a Random line On the South 13th of sec. 35.</p> <p>T. 8. N. R. 11 W.</p> <p>Set a temp. post.</p> <p>" " " post for the cor of sec. 35 & 36.</p> <p>Sandy 1/2 mile 2nd rate bottom; last 1/4 low & swampy land; some maple, Oak & Ash.</p>
East 40.00 74.10	<p>On a Random line On the South 13th of sec. 36.</p> <p>T. 8. N. R. 11 W.</p> <p>Set a temp. post.</p> <p>Intersect the Range line 104 W. South (of the post cor of sec. 1. 6. 31 & 36. Temp. cor.)</p> <p>Land low on the west 3rd rate; overflowed by the River.</p>
West 40.00 80.00	<p>On the new line On the South 13th of sec. 36.</p> <p>T. 8. N. R. 11 W.</p> <p>Set the temp. post on the new line from which a Maple 13 in dia. trees. N 53 W. 5 W. dist. 17</p> <p>La 16 " " S 53 E. 6 " "</p> <p>A Maple 12 in dia. stands for the cor of sec. 35 & 36 on the new line</p>
West 40.00	<p>On the new line On the South 13th of sec. 35.</p> <p>T. 8. N. R. 11 W.</p> <p>Set the temp. post on the new line from which a Hickory 11 in dia. trees. S 8 E. 27 W. dist. 17</p>

80.00 Elev. 9 in diam. beam. N 33 W. 25 lks dist;
 Set the temp. post on the new line for the co. of su.
 34 & 35 from which on
 Elev. 12 in diam. beam. N 82 E. 19 lks dist; to
 Lo. 8 " " " N 62 W. 40 " "

West On the new line On the South B. of su. 34
 T. 7 N. R. 11 W.

24.36 Set a post on the Left Bank of the Wabash River
 for the co of frac. su. 34. from which on
 R. Oak 20 in diam. beam. N 9 W. 24 lks dist; to
 N. Oak. 10 " " " S 5 E. 47 " "

34.51 Set a post on the Right Bank of the Wabash R.
 for the co of frac. su. 34. from which on
 Elev. 27 in diam. beam. N 64 W. 76 lks dist; to
 Maple. 27 " " " S 17 E. 93 " "

The remainder of the line is in Illinois

Surveyed by
 William Harris D.S.

Subdivisions

West Return su. 13 & 24 T. 7 N. R. 11 W.

19.44 Set a post on the Left Bank of the Wabash River for the
 co of frac. su. 13 & 24 from which on
 Sugar. 15 in diam. beam. S 25 W. 19 lks dist; to
 Buck 10 " " " N 76 E. 19 " "

East Return su. 13 & 24 T. 7 N. R. 11 W.

48.56 Set a post on the Right Bank of the Wabash R.
 for the co of frac. su. 13 & 24 from which on
 Sycamore 30 in diam. beam. N 63 E. 28 lks dist; to
 Lo. 15 " " " S 41 E. 57 " "
 Sand link.

T. N. 7 N. R. N. 11 W. 2nd Mer. Ind.

East	Return Sec. 1 & 2 T. 7 N. R. 11 W.
2.34	Set a post on the Right Bank of the Wabash River for the cor of Grad. Sec. 1 & 2 from which Sycamore 20 in diam. trees. S 80 E. 59 the dist; to Maple. 20 " " " N 65 E. 70 " "
West	Return Sec. 1 & 2 T. 7 N. R. 11 W.
40.00	Set a 7/8" post from which Hickory 7 in diam. trees. S 51 W. 5 the dist; to Hackberry. 12 " " " S 35 E. 10 " " Land out; Timber Maple, Ash, Elm, &c.
60.50	Set post. 2 1/2" Wabash. Willow 10 N 71 E 22. to Sec. 10. N 2 W 12.
North	Return Sec. 1 & 2 T. 7 N. R. 11 W.
2.00	Set a post on the Right Bank of the Wabash R. for the cor of Grad. Sec. 1 & 2 from which Elm. 18 in diam. trees. N 70 E. 31 the dist; to Sycamore. 20 " " " N 8 W. 51 " "
22.00	Set a post on the Left Bank of the Wabash R. for the cor of Grad. Sec. 1 & 2 from which Elm. 10 in diam. trees. N 70 E. 7 the dist; to Oak 12 " " " S 56 W. 13 " "
40.00	Set a 7/8" post from which Maple. 20 in diam. trees. S 56 E. 49 the dist; to Hickory. 18 " " " N 24 E. 33 " "
70.00	In the cor of Sec. 35 & 36. T. 8 N. R. 11 W. on the N. 12. Land very out Timber same.
North	Return Sec. 2 & 3 T. 7 N. R. 11 W.
41.86	Set a post on the Right Bank of the Wabash R. for the cor of Grad. Sec. 2 & 3 from which Elm. 15 in diam. trees. N 20 E. 40 the dist; to Sec. 10 " " " N 8 W. 41 " "
54.75	To a Maple 12 in diam. stands for the cor of Sec. 2 & 3 on the Left Bank of the Wabash River

T. N. 7 N. R. 11 W. 2nd Mer. Ind.

70.00	Intersect the N. Boundary 182 links East of the post. cn of sec. 34 & 35. T. 8 N. R. 11 W. and set a post on " " 2 nd 3. from which Sec. 40 in dist. bears. S 46 E. 50 chs; base Ebm. 18 " " " N 29 E. 15 " "	
Meanders of the Right Bank of the Katabash River Commencing on the N. Boundary of sec. 3. thence Down stream. in		
S 21 E. 6.50	Sec. 3.	
S 34 E. 12.80		
S 64 E. 15.00		
S 82 E. 12.70	To the cn of sec. 2 & 3. thence	
In sec. 2.		
N 87 E. 46.20		
S 51 E. 15.60		
S 35 E. 18.80		
S 23 E. 14.00		
S 40 E. 6.50	To the cn of sec. 1 & 2. T. 7 N. R. 11 W.	
S 54 E. 4.70	To the cn of sec. 1 & 2. T. 7 N. R. 11 W.	
In sec. 12.		
S 54 E. 48.50		
S 55 E. 6.50		
S 38 E. 43.50	To the Range line East R. of sec. 12.	
Commenced on the East Boundary of sec. 13. thence		
S 24 W. 13.30		
S 30 W. 17.00	In sec. 13.	
S 44 W. 22.00		
S 19 W. 6.70	To the cn of sec. 13 & 24. T. 7 N. R. 11 W.	
In sec. 24.		
S 8 W. 7.30		
S 20 E. 17.00		

T. A. 7 A R. N. 1177 2nd Mn. Ind.

S34 E. 31.50

S23 E. 25.20

S2 E. 7.90

To the ca of sec 19 & 30 T. 7 N. R. 10 W.
There is no note made where the meanders strike the
Range line.

S33 W. 40.00

S9 W. 12.30

N17 E. 10.50

S47 E. 5.60

Commenced in the East B.M. of sec 36. T. 7 N. R. 11 W. thence
in sec 36. down stream
To the South Boundary of sec 36. T. 7 N. R. 11 W.

S15 E. 7.00

S56 E. 7.50

S66 E. 4.50

S75 E. 11.00

S88 E. 3.91

Meanders of the Left Bank of the Nabash
River Commencing in the North Boundary of sec 3. thence
down stream. in
Sec. 3.

East 5.50

N82 E. 7.00

East 7.00

N84 E. 9.50

N87 E. 8.50

S79 E. 2.50

S85 E. 4.50

S72 E. 8.00

S61 E. 3.50

S50 E. 13.00

S37 E. 9.50

S38 E. 10.00

S24 E. 5.94

in Sec. 2.
To the ca of sec 14 & 20 T. 7 N. R. 11 W.

§32 E.	11.50	In Lu. 1 To the cn of sec 1 & 12 T. 7 N. R. 1177.
§50 E.	6.50	
§44 E.	6.00	
§55 E.	5.88	
§58 E.	41.50	To m Island. In Lu. 12. To the cn on Range line East B. of sec 12.
§49 E.	11.00	
§34 E.	6.00	
§40 E.	10.50	
§30 E.	8.00	
		Commenced on the Range line East B. of sec 13 thence down stream in Lu. 13.
§36 W.	10.50	In Lu. 13. To the cn of sec 13 & 24 T. 7 N. R. 1177.
§44 W.	18.00	
§25 W.	1.06	
§8 W.	6.50	In Lu. 24. To the cn on Range line East B. of sec 24.
§13 E.	5.00	
§24 E.	7.50	
§32 E.	7.00	
§37 E.	11.50	
§33 E.	9.00	
		Commenced on the East Boundary of sec 36. T. 7 N. R. 1177. Range line thence down stream in Lu. 36.
§37 W.	14.00	To the cn of T. 6 & 7 N. R. 10 & 11 W.
§26 W.	4.00	
§16 W.	4.50	
§5 E.	8.00	
§43 E.	3.00	
§46 E.	9.50	
§60 E.	2.61	

T. N. 7 N. R. N. 1177 2nd Mer. Ind.

Surveyed by
Arthur Henric.
Dep'ty Surr.

I certify that the foregoing Transcript of the field
note of Township N. 7 North of Range N. 11 West.
2nd Meridian, in Indiana, has been compared with
the Original note in this Office, and found to be correct.
Surveyor General's Office
Cincinnati. Oct. 8th 1841 } E. S. Haines
Surr. General.

South Boundary by A. Henric. D.S.
West On the South Boundary of sec. 3 & 4 T. 8 N. R. 11 W.
40,00 Set a 7th corner post.
80,00 Set a post for the cor. of sec. 33 & 34 T. 8 N. R. 11 W. 590th
West of the post cor. of sec. 33 & 34 in prairie.